ELSEVIER

Molecular Brain Research 48 (1997) 417–419

MOLECULAR BRAIN RESEARCH

Author Index

Airhart, N., see Pau, K.-Y.F. (48) 367
Amano, N., see Sawa, A. (48) 53
Ambrosini, M., see Cangiano, G. (48) 279
Andretic, R., see O'Hara, B.F. (48) 73
Armstrong, J.N., see Gilby, K.L. (48) 87
Aubert, I., see Brana, C. (48) 389

Bateson, A.N., see Holt, R.A. (48) 164
Befort, K., see Gavériaux-Ruff, C. (48) 298
Belcheva, M.M., see Tencheva, Z.S. (48) 156
Berdeaux, R.L., see Schelman, W.R. (48) 197
Biel, M., see Sautter, A. (48) 171
Bitting, L., see O'Hara, B.F. (48) 73
Björklund, A., see Cenci, M.A. (48) 149
Bloch, B., see Brana, C. (48) 389
Brana, C., Aubert, I., Charron, G., Pellevoisin, C. and Bloch, B.
Ontogeny of the striatal neurons expressing the D2 dopamine receptor in humans: an in situ hybridization and receptor-binding study (48) 389
Brecht, S., Buschmann, T., Grimm, S., Zimmermann, M. and Herdegen, T.
Persisting expression of galanin in axotomized mamillary and septal neurons of adult rats labeled for c-Jun and NADPH-diaphorase (48) 7
Buckland, P.R., D'Souza, U., Maher, N.A. and McGuffin, P.
The effects of antipsychotic drugs on the mRNA levels of serotonin $5HT_{2A}$ and $5HT_{2C}$ receptors (48) 45
Buschmann, T., see Brecht, S. (48) 7
Buttiglione, M., see Cangiano, G. (48) 279

Cadet, J.L., see Hirata, H. (48) 145
Cairns, N.J., see Sawa, A. (48) 53
Camilli, F., see Falkenberg, T. (48) 413
Campbell, I.L., see Hernández, J. (48) 125
Campbell, K., see Cenci, M.A. (48) 149
Cangiano, G., Ambrosini, M., Patruno, A., Tino, A., Buttiglione, M. and Gennarini, G.
Functional organization of the promoter region of the mouse F3 axonal glycoprotein gene (48) 279
Caruncho, H.J., Liste, I., Rozas, G., López-Martín, E., Guerra, M.J. and Labandeira-García, J.L.
Time course of striatal, pallidal and thalamic α_1, α_2 and $\beta_{2/3}$ $GABA_A$ receptor subunit changes induced by unilateral 6-OHDA lesion of the nigrostriatal pathway (48) 243
Cenci, M.A., Campbell, K. and Björklund, A.
Glutamic acid decarboxylase gene expression in the dopamine-denervated striatum: effects of intrastriatal fetal nigral transplants or chronic apomorphine treatment (48) 149
Chambers, C.B. and Muma, N.A.
Tau mRNA isoforms following sciatic nerve axotomy with and without regeneration (48) 115
Chan, P., see Sayah, S. (48) 215
Charron, G., see Brana, C. (48) 389
Chiang, C.-S., see Hong, J.-H. (48) 223
Chodobski, A., Peng Loh, Y., Corsetti, S., Szmydynger-Chodobska, J., Johanson, C.E., Lim, Y.-P. and Monfils, P.R.
The presence of arginine vasopressin and its mRNA in rat choroid plexus epithelium (48) 67
Clark, M.S. and Russo, A.F.
Tissue-specific glucocorticoid regulation of tryptophan hydroxylase mRNA levels (48) 346
Clemens, J., see Ni, B. (48) 132
Clemens, J.A., Stephenson, D.T., Dixon, E.P., Smalstig, E.B., Mincy, R.E., Rash, K.S. and Little, S.P.
Global cerebral ischemia activates nuclear factor-κB prior to evidence of DNA fragmentation (48) 187
Corsetti, S., see Chodobski, A. (48) 67
Coscia, C.J., see Tencheva, Z.S. (48) 156
Currie, R.W., see Gilby, K.L. (48) 87

Daniella, S., see Renata, Z. (48) 140
Dhillon, H.S., see Hicks, R.R. (48) 401
Dixon, E.P., see Clemens, J.A. (48) 187
Dow, K.E., see Wang, W. (48) 355
Dragunow, M., see Saura, J. (48) 382
D'Souza, U., see Buckland, P.R. (48) 45
Dumont, Y., see Tong, Y. (48) 323

Emmapaola, S., see Renata, Z. (48) 140
Enzo, M., see Renata, Z. (48) 140

Falkenberg, T., Lindefors, N., O'Connor, W.T., Zachrisson, O., Camilli, F. and Ungerstedt, U.
GABA release and GAD_{67} mRNA expression in rat hippocampus following entorhinal cortex activation (48) 413
Fan, X., Wu, B., Nagle, G.T. and Painter, S.D.
Molecular cloning of a cDNA encoding a potential water-borne pheromonal attractant released during *Aplysia* egg laying (48) 167
Feighner, S.D., see Guan, X.-M. (48) 23
Flanders, K.C., see Ren, R.F. (48) 315
Fontaine, M., see Sayah, S. (48) 215
Fuller, L.Z., see McClintock, T.S. (48) 270

Garbisa, S., see Negro, A. (48) 30
Gasque, P., see Sayah, S. (48) 215
Gavériaux-Ruff, C., Peluso, J., Befort, K., Simonin, F., Zilliox, C. and Kieffer, B.L.
Detection of opioid receptor mRNA by RT-PCR reveals alternative splicing for the δ- and κ-opioid receptors (48) 298
Gennarini, G., see Cangiano, G. (48) 279
Gervasi, C. and Szaro, B.G.
Sequence and expression patterns of two forms of the middle molecular weight neurofilament protein (NF-M) of *Xenopus laevis* (48) 229
Gilby, K.L., Armstrong, J.N., Currie, R.W. and Robertson, H.A.
The effects of hypoxia-ischemia on expression of c-Fos, c-Jun and Hsp70 in the young rat hippocampus (48) 87
Gimelbrant, A.A., see McClintock, T.S. (48) 270
Givalois, L., Li, S. and Pelletier, G.
Age-related decrease in the hypothalamic CRH mRNA expression is reduced by dehydroepiandrosterone (DHEA) treatment in male and female rats (48) 107
Grimm, S., see Brecht, S. (48) 7
Grueninger-Leitch, F., see Thompson, A. (48) 206
Guan, X.-M., Yu, H., Palyha, O.C., McKee, K.K., Feighner, S.D., Sirinathsinghji, D.J.S., Smith, R.G., Van der Ploeg, L.H.T. and Howard, A.D.
Distribution of mRNA encoding the growth hormone secretagogue receptor in brain and peripheral tissues (48) 23
Guerra, M.J., see Caruncho, H.J. (48) 243

Harris, E.D., see Qian, Y. (48) 60
Hawver, D.B., see Ren, R.F. (48) 315
Hebb, M.O. and Robertson, H.A.
Coordinate suppression of striatal *ngfi-a* and c-*fos* produces locomotor asymmetry and up-regulation of IEGs in the globus pallidus (48) 97
Heller, H.C., see O'Hara, B.F. (48) 73
Herdegen, T., see Brecht, S. (48) 7
Hernández, J., Molinero, A., Campbell, I.L. and Hidalgo, J.

Transgenic expression of interleukin 6 in the central nervous system regulates brain metallothionein-I and -III expression in mice (48) 125
Hicks, R.R., Numan, S., Dhillon, H.S., Prasad, M.R. and Seroogy, K.B.
Alterations in BDNF and NT-3 mRNAs in rat hippocampus after experimental brain trauma (48) 401
Hidalgo, J., see Hernández, J. (48) 125
Hirata, H. and Cadet, J.L.
Kainate-induced hippocampal DNA damage is attenuated in superoxide dismutase transgenic mice (48) 145
Hofmann, F., see Sautter, A. (48) 171
Holt, R.A., Martin, I.L. and Bateson, A.N.
Chronic diazepam exposure decreases transcription of the rat $GABA_A$ receptor γ_2-subunit gene (48) 164
Hong, J.-H., Chiang, C.-S., Sun, J.-R., Withers, H.R. and McBride, W.H.
Induction of c-*fos* and *junB* mRNA following in vivo brain irradiation (48) 223
Howard, A.D., see Guan, X.-M. (48) 23
Hua, Y., see Schwartz, M.L. (48) 305
Huber, G., see Thompson, A. (48) 206

Inoue, Y., see Maeno-Hikichi, Y. (48) 176
Inturrisi, C.E., see Lee, C.E. (48) 17
Ischenko, A., see Sayah, S. (48) 215

Jackson, B.A., see McClintock, T.S. (48) 270
Jahn, K., see Lowe, D.L. (48) 37
Jayawickreme, C.K., see McClintock, T.S. (48) 270
Jenab, S., see Lee, C.E. (48) 17
Johanson, C.E., see Chodobski, A. (48) 67

Kerner, J.A., Standaert, D.G., Penney Jr., J.B., Young, A.B. and Landwehrmeyer, G.B.
Expression of group one metabotropic glutamate receptor subunit mRNAs in neurochemically identified neurons in the rat neostriatum, neocortex, and hippocampus (48) 259
Kest, B., see Lee, C.E. (48) 17
Kieffer, B.L., see Gavériaux-Ruff, C. (48) 298
Kilduff, T.S., see O'Hara, B.F. (48) 73
Kim, R.S., see Ren, R.F. (48) 315
Kristensen, P., see Larsen, P.J. (48) 1
Krukoff, T.L., see Plochocka-Zulinska, D. (48) 291
Kurth, J.L., see Schelman, W.R. (48) 197
Kvetnansky, R., see Serova, L. (48) 251

Labandeira-García, J.L., see Caruncho, H.J. (48) 243
Landers, T.M., see McClintock, T.S. (48) 270
Landwehrmeyer, G.B., see Kerner, J.A. (48) 259
Laprade, N. and Soghomonian, J.-J.
Glutamate decarboxylase (GAD65) gene expression is increased by dopamine receptor agonists in a subpopulation of rat striatal neurons (48) 333
Larsen, P.J. and Kristensen, P.
The neuropeptide Y (Y4) receptor is highly expressed in neurones of the rat dorsal vagal complex (48) 1
Lee, C.E., Kest, B., Jenab, S. and Inturrisi, C.E.
Effect of supraspinal antisense oligodeoxynucleotide treatment on δ-opioid receptor mRNA levels in mice (48) 17
Lerner, M.R., see McClintock, T.S. (48) 270
Li, S., see Givalois, L. (48) 107
Lim, Y.-P., see Chodobski, A. (48) 67
Lindefors, N., see Falkenberg, T. (48) 413
Lissichkova, E.G., see Tencheva, Z.S. (48) 156
Liste, I., see Caruncho, H.J. (48) 243
Little, S.P., see Clemens, J.A. (48) 187
López-Martín, E., see Caruncho, H.J. (48) 243
Lowe, D.L., Jahn, K. and Smith, D.O.
Glutamate receptor editing in the mammalian hippocampus and avian neurons (48) 37
Lucius, R. and Sievers, J.
YVAD protect post-natal retinal ganglion cells against axotomy-induced but not free radical-induced axonal degeneration in vitro (48) 181

Ma, Y.J., see Pau, K.-Y.F. (48) 367
MacGibbon, G., see Saura, J. (48) 382
Maebayashi, Y., see Shigeyoshi, Y. (48) 159
Maeno-Hikichi, Y., Tanaka, K., Shibata, T., Watanabe, M., Inoue, Y., Mukainaka, Y. and Wada, K.
Structure and functional expression of the cloned mouse neuronal high-affinity glutamate transporter (48) 176
Maher, N.A., see Buckland, P.R. (48) 45
Malherbe, P., see Thompson, A. (48) 206
Martin, I.L., see Holt, R.A. (48) 164
Matsushita, M., see Sawa, A. (48) 53
McBride, W.H., see Hong, J.-H. (48) 223
McClintock, T.S., Landers, T.M., Gimelbrant, A.A., Fuller, L.Z., Jackson, B.A., Jayawickreme, C.K. and Lerner, M.R.
Functional expression of olfactory-adrenergic receptor chimeras and intracellular retention of heterologously expressed olfactory receptors (48) 270
McGuffin, P., see Buckland, P.R. (48) 45
McKee, K.K., see Guan, X.-M. (48) 23
Mincy, R.E., see Clemens, J.A. (48) 187
Molinero, A., see Hernández, J. (48) 125
Monfils, P.R., see Chodobski, A. (48) 67
Morley, B.J.
The embryonic and post-natal expression of the nicotinic receptor α_3-subunit in rat lower brainstem (48) 407
Mukainaka, Y., see Maeno-Hikichi, Y. (48) 176
Muma, N.A., see Chambers, C.B. (48) 115

Nagle, G.T., see Fan, X. (48) 167
Nankova, B., see Serova, L. (48) 251
Negro, A., Onisto, M., Pellati, D. and Garbisa, S.
CNTF up-regulation of TIMP-2 in neuroblastoma cells (48) 30
Nerina, G., see Renata, Z. (48) 140
Ni, B., Stephenson, D., Wu, X., Smalstig, E.B., Clemens, J. and Paul, S.M.
Selective loss of neuronal Na^+-dependent phosphate cotransporter mRNA in CA1 pyramidal neuron following global ischemia (48) 132
Noa, M.-L., see Renata, Z. (48) 140
Norby, S.-W., see Schelman, W.R. (48) 197
Numan, S., see Hicks, R.R. (48) 401

O'Connor, W.T., see Falkenberg, T. (48) 413
O'Hara, B.F., Watson, F.L., Andretic, R., Wiler, S.W., Young, K.A., Bitting, L., Heller, H.C. and Kilduff, T.S.
Daily variation of CNS gene expression in nocturnal vs. diurnal rodents and in the developing rat brain (48) 73
Okamura, H., see Shigeyoshi, Y. (48) 159
Onisto, M., see Negro, A. (48) 30
Oyama, F., see Sawa, A. (48) 53

Painter, S.D., see Fan, X. (48) 167
Palyha, O.C., see Guan, X.-M. (48) 23
Patruno, A., see Cangiano, G. (48) 279
Patte, C., see Sayah, S. (48) 215
Pau, K.-Y.F., Ma, Y.J., Yu, J.-h., Yang, S.-P., Airhart, N. and Spies, H.G.
Topographic comparison of the expression of norepinephrine transporter, tyrosine hydroxylase and neuropeptide Y mRNA in association with dopamine β-hydroxylase neurons in the rabbit brainstem (48) 367
Paul, S.M., see Ni, B. (48) 132
Pellati, D., see Negro, A. (48) 30
Pelletier, G., see Givalois, L. (48) 107
Pellevoisin, C., see Brana, C. (48) 389
Peluso, J., see Gavériaux-Ruff, C. (48) 298
Peng Loh, Y., see Chodobski, A. (48) 67
Penney Jr., J.B., see Kerner, J.A. (48) 259
Plochocka-Zulinska, D. and Krukoff, T.L.
Increased gene expression of neuronal nitric oxide synthase in brain of adult spontaneously hypertensive rats (48) 291
Prasad, M.R., see Hicks, R.R. (48) 401

Qian, Y., Tiffany-Castiglioni, E. and Harris, E.D.
A Menkes P-type ATPase involved in copper homeostasis in the central nervous system of the rat (48) 60
Quirion, R., see Tong, Y. (48) 323

Rash, K.S., see Clemens, J.A. (48) 187
Ren, R.F., Hawver, D.B., Kim, R.S. and Flanders, K.C.
Transforming growth factor-β protects human hNT cells from degeneration induced by β-amyloid peptide: involvement of the TGF-β type II receptor (48) 315
Renata, Z., Nerina, G., Noa, M.-L., Enzo, M., Daniella, S., Zvi, V. and Emmapaola, S.
Ras-GRF, the activator of Ras, is expressed preferentially in mature neurons of the central nervous system (48) 140
Rivkin, M., see Serova, L. (48) 251
Robertson, H.A., see Gilby, K.L. (48) 87
Robertson, H.A., see Hebb, M.O. (48) 97
Rozas, G., see Caruncho, H.J. (48) 243
Russo, A.F., see Clark, M.S. (48) 346

Sabban, E.L., see Serova, L. (48) 251
Saura, J., MacGibbon, G. and Dragunow, M.
Etoposide-induced PC12 cell death: apoptotic morphology without oligonucleosomal DNA fragmentation or dependency upon de novo protein synthesis (48) 382

Sautter, A., Biel, M. and Hofmann, F.
Molecular cloning of cyclic nucleotide-gated cation channel subunits from rat pineal gland (48) 171
Sawa, A., Oyama, F., Cairns, N.J., Amano, N. and Matsushita, M.
Aberrant expression of bcl-2 gene family in Down's syndrome brains (48) 53
Sayah, S., Patte, C., Gasque, P., Chan, P., Ischenko, A., Vaudry, H. and Fontaine, M.
Characterization of rat C5a anaphylatoxin receptor (C5aR): cloning of rat C5aR cDNA and study of C5aR expression by rat astrocytes (48) 215
Schelman, W.R., Kurth, J.L., Berdeaux, R.L., Norby, S.-W. and Weyhenmeyer, J.A.
Angiotensin II type-2 (AT_2) receptor-mediated inhibition of NMDA receptor signalling in neuronal cells (48) 197
Schlaepfer, W.W., see Schwartz, M.L. (48) 305
Schwartz, M.L., Hua, Y. and Schlaepfer, W.W.
In vitro activation of the mouse mid-sized neurofilament gene by an NF-1-like transcription factor (48) 305
Seroogy, K.B., see Hicks, R.R. (48) 401
Serova, L., Nankova, B., Rivkin, M., Kvetnansky, R. and Sabban, E.L.
Glucocorticoids elevate GTP cyclohydrolase I mRNA levels in vivo and in PC12 cells (48) 251
Shen, S.-H., see Tong, Y. (48) 323
Shibata, T., see Maeno-Hikichi, Y. (48) 176
Shigeyoshi, Y., Maebayashi, Y. and Okamura, H.
Co-localization of preprosomatostatin mRNA and preprotachykinin A mRNA in neurons of the rat suprachiasmatic nucleus (48) 159
Sievers, J., see Lucius, R. (48) 181
Simonin, F., see Gavériaux-Ruff, C. (48) 298
Sirinathsinghji, D.J.S., see Guan, X.-M. (48) 23
Smalstig, E.B., see Clemens, J.A. (48) 187
Smalstig, E.B., see Ni, B. (48) 132
Smith, D.O., see Lowe, D.L. (48) 37
Smith, R.G., see Guan, X.-M. (48) 23
Soghomonian, J.-J., see Laprade, N. (48) 333
Spies, H.G., see Pau, K.-Y.F. (48) 367
Standaert, D.G., see Kerner, J.A. (48) 259
Stephenson, D., see Ni, B. (48) 132
Stephenson, D.T., see Clemens, J.A. (48) 187
Sun, J.-R., see Hong, J.-H. (48) 223
Szaro, B.G., see Gervasi, C. (48) 229
Szmydynger-Chodobska, J., see Chodobski, A. (48) 67

Tanaka, K., see Maeno-Hikichi, Y. (48) 176
Tencheva, Z.S., Belcheva, M.M., Velichkova, A.A., Lissichkova, E.G. and Coscia, C.J.
Opioid regulation of AP-1 DNA-binding activity in NG108-15 cells under conditions of opioid-receptor adaptation (48) 156
Thompson, A., Grueninger-Leitch, F., Huber, G. and Malherbe, P.
Expression and characterization of human β-secretase candidates metalloendopeptidase MP78 and cathepsin D in βAPP-overexpressing cells (48) 206
Tiffany-Castiglioni, E., see Qian, Y. (48) 60
Tino, A., see Cangiano, G. (48) 279
Tong, Y., Dumont, Y., Shen, S.-H. and Quirion, R.
Comparative developmental profile of the neuropeptide Y Y_1 receptor gene and protein in the rat brain (48) 323

Ungerstedt, U., see Falkenberg, T. (48) 413

Van der Ploeg, L.H.T., see Guan, X.-M. (48) 23
Vaudry, H., see Sayah, S. (48) 215
Velichkova, A.A., see Tencheva, Z.S. (48) 156

Wada, K., see Maeno-Hikichi, Y. (48) 176
Wang, W. and Dow, K.E.
Effects of neuronal proteoglycans on activity-dependent growth responses of fetal hippocampal neurons (48) 355
Watanabe, M., see Maeno-Hikichi, Y. (48) 176
Watson, F.L., see O'Hara, B.F. (48) 73
Weyhenmeyer, J.A., see Schelman, W.R. (48) 197
Wiler, S.W., see O'Hara, B.F. (48) 73
Withers, H.R., see Hong, J.-H. (48) 223
Wu, B., see Fan, X. (48) 167
Wu, X., see Ni, B. (48) 132

Yang, S.-P., see Pau, K.-Y.F. (48) 367
Young, A.B., see Kerner, J.A. (48) 259
Young, K.A., see O'Hara, B.F. (48) 73
Yu, H., see Guan, X.-M. (48) 23
Yu, J.-h., see Pau, K.-Y.F. (48) 367

Zachrisson, O., see Falkenberg, T. (48) 413
Zilliox, C., see Gavériaux-Ruff, C. (48) 298
Zimmermann, M., see Brecht, S. (48) 7
Zvi, V., see Renata, Z. (48) 140